

## Inquiry List

From:EMBA ELEKTRİK ÜRETİM A.Ş.

E-mail: [ZhenchaoHou@embapower.com](mailto:ZhenchaoHou@embapower.com)

No.	Requirement Plan Number	Material code	ITEM	ITEM DESCRIPTION	UOM	Qty.	REMARKS
1	RE202307240003	1008950	O-RİNG 5 MM VİTON ŞERİT O 型圈 5 MM氟胶密封条	"O-RİNG 5 MM VİTON ŞERİT O 型圈 5 MM氟胶密封条"	米 meter	5	
2	RE202307240003	1008949	"O-RİNG 4 MM VİTON ŞERİT O 型圈 4 MM氟胶密封条"	"O-RİNG 4 MM VİTON ŞERİT O 型圈 4 MM氟胶密封条"	米 meter	5	
3	RE202307240003	1008948	"O-RİNG 3 MM VİTON ŞERİT O 型圈 3 MM氟胶密封条"	"O-RİNG 3 MM VİTON ŞERİT O 型圈 3 MM氟胶密封条"	米 meter	5	
4	RE202307240003	1008947	"O-RİNG 2 MM VİTON ŞERİT O 型圈 2 MM氟胶密封条"	"O-RİNG 2 MM VİTON ŞERİT O 型圈 2 MM氟胶密封条"	米 meter	5	
5	RE202307240003	1008946	"O-RİNG Q76X2MM VİTON O 型圈 Q76X2MM VİTON"	"O-RİNG Q76X2MM VİTON O 型圈 Q76X2MM VİTON"	个 Adet	10	
6	RE202307240003	1008945	" KENTINTROL KOSO VECTORA-285 BONNET SAPLAMA SOMUNU KENTINTROL KOSO VECTORA-285 阀盖螺柱螺母"	" KENTINTROL KOSO VECTORA-285 BONNET SAPLAMA SOMUNU KENTINTROL KOSO VECTORA-285 阀盖螺柱螺母"	个 Adet	16	
7	RE202307240003	1008944	KENTINTROL KOSO VECTORA-285 BONNET SAPLAMASI KENTINTROL KOSO VECTORA-285 阀盖螺柱	" KENTINTROL KOSO VECTORA-285 BONNET SAPLAMASI KENTINTROL KOSO VECTORA-285 阀盖螺柱"	个 Adet	16	
8	RE202307240003	1008943	PİL电池=LR1/N/LADY/1.5V/ ALKALİNE碱性	PİL电池=LR1/N/LADY/1.5V/ ALKALİNE碱性	个 Adet	20	
9	RE202307240003	140048	发电机氢气冷却器列管堵漏专用堵头 Jeneratör hidrojen soğutucu tüp profesyonel fiş SS304	发电机氢气冷却器列管堵漏专用堵头 Jeneratör hidrojen soğutucu tüp profesyonel fiş SS304	个 Adet	34	
10	RE202307240003	1008691	EMNİYET KEMERİ PARAŞÜT TİPİ P-453Y 安全带降落伞类型	安全带降落伞类型 P-453Y EMNİYET KEMERİ PARAŞÜT TİPİ P-453Y	个 Adet	10	
11	RE202307240003	1200018	Loctite 7850 El Temizleyicisi (3 Lt) Loctite 7850 洗手液 (3 Lt)	Serial : 7850 序列号: 7850 材质Malzeme:/E3:E18D35E3:EE3:E27	瓶 Bottle	2	
12	RE202307240003	124177	Pafta Kolu 板牙绞手	Model型号:55-22	个 Adet	1	
13	RE202307240003	124176	Pafta Kolu 板牙绞手	Model型号:45-18	个 Adet	1	
14	RE202307240003	124175	Pafta Kolu 板牙绞手	Model型号:38-14	个 Adet	1	
15	RE202307240003	124174	Pafta Kolu 板牙绞手	Model型号:30-11	个 Adet	1	
16	RE202307240003	124173	Pafta Kolu 板牙绞手	Model型号:25-9	个 Adet	1	
17	RE202307240003	124172	Pafta Lokması 圆板牙	Model型号:M27 Özellik资质: HSS DIN EN 22 568	个 Adet	1	
18	RE202307240003	124171	Pafta Lokması 圆板牙	Model型号:M24 Özellik资质: HSS DIN EN 22 568	个 Adet	1	
19	RE202307240003	124170	Pafta Lokması 圆板牙	Model型号:M22 Özellik资质: HSS DIN EN 22 568	个 Adet	2	
20	RE202307240003	124169	Pafta Lokması 圆板牙	Model型号:M20 Özellik资质: HSS DIN EN 22 568	个 Adet	2	

## Inquiry List

From:EMBA ELEKTRİK ÜRETİM A.Ş.

E-mail: [ZhenchaoHou@embapower.com](mailto:ZhenchaoHou@embapower.com)

No.	Requirement Plan Number	Material code	ITEM	ITEM DESCRIPTION	UOM	Qty.	REMARKS
1	RE202307240003	1008950	O-RİNG 5 MM VİTON ŞERİT O 型圈 5 MM氟胶密封条	"O-RİNG 5 MM VİTON ŞERİT O 型圈 5 MM氟胶密封条"	米 meter	5	
2	RE202307240003	1008949	"O-RİNG 4 MM VİTON ŞERİT O 型圈 4 MM氟胶密封条"	"O-RİNG 4 MM VİTON ŞERİT O 型圈 4 MM氟胶密封条"	米 meter	5	
3	RE202307240003	1008948	"O-RİNG 3 MM VİTON ŞERİT O 型圈 3 MM氟胶密封条"	"O-RİNG 3 MM VİTON ŞERİT O 型圈 3 MM氟胶密封条"	米 meter	5	
4	RE202307240003	1008947	"O-RİNG 2 MM VİTON ŞERİT O 型圈 2 MM氟胶密封条"	"O-RİNG 2 MM VİTON ŞERİT O 型圈 2 MM氟胶密封条"	米 meter	5	
5	RE202307240003	1008946	"O-RİNG Q76X2MM VİTON O 型圈 Q76X2MM VİTON"	"O-RİNG Q76X2MM VİTON O 型圈 Q76X2MM VİTON"	个 Adet	10	
6	RE202307240003	1008945	" KENTINTROL KOSO VECTORA-285 BONNET SAPLAMA SOMUNU KENTINTROL KOSO VECTORA-285 阀盖螺柱螺母"	" KENTINTROL KOSO VECTORA-285 BONNET SAPLAMA SOMUNU KENTINTROL KOSO VECTORA-285 阀盖螺柱螺母"	个 Adet	16	
7	RE202307240003	1008944	KENTINTROL KOSO VECTORA-285 BONNET SAPLAMASI KENTINTROL KOSO VECTORA-285 阀盖螺柱	" KENTINTROL KOSO VECTORA-285 BONNET SAPLAMASI KENTINTROL KOSO VECTORA-285 阀盖螺柱"	个 Adet	16	
8	RE202307240003	1008943	PİL电池=LR1/N/LADY/1.5V/ ALKALİNE碱性	PİL电池=LR1/N/LADY/1.5V/ ALKALİNE碱性	个 Adet	20	
9	RE202307240003	140048	发电机氢气冷却器列管堵漏专用堵头 Jeneratör hidrojen soğutucu tüp profesyonel fiş SS304	发电机氢气冷却器列管堵漏专用堵头 Jeneratör hidrojen soğutucu tüp profesyonel fiş SS304	个 Adet	34	
10	RE202307240003	1008691	EMNİYET KEMERİ PARAŞÜT TİPİ P-453Y 安全带降落伞类型	安全带降落伞类型 P-453Y EMNİYET KEMERİ PARAŞÜT TİPİ P-453Y	个 Adet	10	
11	RE202307240003	1200018	Loctite 7850 El Temizleyicisi (3 Lt) Loctite 7850 洗手液 (3 Lt)	Serial : 7850 序列号: 7850 材质Malzeme:/E3:E18D35E3:EE3:E27	瓶 Bottle	2	
12	RE202307240003	124177	Pafta Kolu 板牙绞手	Model型号:55-22	个 Adet	1	
13	RE202307240003	124176	Pafta Kolu 板牙绞手	Model型号:45-18	个 Adet	1	
14	RE202307240003	124175	Pafta Kolu 板牙绞手	Model型号:38-14	个 Adet	1	
15	RE202307240003	124174	Pafta Kolu 板牙绞手	Model型号:30-11	个 Adet	1	
16	RE202307240003	124173	Pafta Kolu 板牙绞手	Model型号:25-9	个 Adet	1	
17	RE202307240003	124172	Pafta Lokması 圆板牙	Model型号:M27 Özellik资质: HSS DIN EN 22 568	个 Adet	1	
18	RE202307240003	124171	Pafta Lokması 圆板牙	Model型号:M24 Özellik资质: HSS DIN EN 22 568	个 Adet	1	
19	RE202307240003	124170	Pafta Lokması 圆板牙	Model型号:M22 Özellik资质: HSS DIN EN 22 568	个 Adet	2	
20	RE202307240003	124169	Pafta Lokması 圆板牙	Model型号:M20 Özellik资质: HSS DIN EN 22 568	个 Adet	2	

## Inquiry List

From:EMBA ELEKTRİK ÜRETİM A.Ş.

E-mail: [ZhenchaoHou@embapower.com](mailto:ZhenchaoHou@embapower.com)

No.	Requirement Plan Number	Material code	ITEM	ITEM DESCRIPTION	UOM	Qty.	REMARKS
21	RE202307240003	124168	Pafta Lokması 圆板牙	Model型号:M18 Özellik资质: HSS DIN EN 22 568	↑ Adet	2	
22	RE202307240003	124167	Pafta Lokması 圆板牙	Model型号:M16 Özellik资质: HSS DIN EN 22 568	↑ Adet	2	
23	RE202307240003	124166	Pafta Lokması 圆板牙	Model型号:M14 Özellik资质: HSS DIN EN 22 568	↑ Adet	2	
24	RE202307240003	124165	Pafta Lokması 圆板牙	Model型号:M12 Özellik资质: HSS DIN EN 22 568	↑ Adet	2	
25	RE202307240003	124164	Pafta Lokması 圆板牙	Model型号:M10 Özellik资质: HSS DIN EN 22 568	↑ Adet	2	
26	RE202307240003	124163	Pafta Lokması 圆板牙	Model型号:M8 Özellik资质: HSS DIN EN 22 568	↑ Adet	2	
27	RE202307240003	122346	ASMA KİLİT= KALE AYAR PİMLİ ASMA KİLİT 50 MMKALE 滑动销挂锁 50 毫米	ASMA KİLİT= KALE AYAR PİMLİ ASMA KİLİT 50 MMKALE 滑动销挂锁 50 毫米	↑ Adet	10	
28	RE202307240003	122352	Asma Kilit / 挂锁	Yuma 70 Mm. Kayar Milli	↑ Adet	5	
29	RE202307240003	124133	Kilit Omega Tipi Vidalı 马蹄扣	Model型号:7/8" Özellik资质: CE sertifikalı 带CE证书的, Gövde Malzemesi 本体材质: 1050 - Pim 销子: 4140	套Set	2	
30	RE202307240003	124126	Kilit D Tipi Vidalı U型卸扣	Model型号:7/8" Özellik资质: CE sertifikalı 带CE证书的, Gövde Malzemesi 本体材质: 1050 - Pim 销子: 4140	套Set	2	
31	RE202307240003	124125	Kilit D Tipi Vidalı U型卸扣	Model型号:3/4" Özellik资质: CE sertifikalı 带CE证书的, Gövde Malzemesi 本体材质: 1050 - Pim 销子: 4140	套Set	2	
32	RE202307240003	124158	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M27 Özellik资质: HSS DIN 352	套Set	2	
33	RE202307240003	124157	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M24 Özellik资质: HSS DIN 352	套Set	2	
34	RE202307240003	124156	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M22 Özellik资质: HSS DIN 352	套Set	2	
35	RE202307240003	124155	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M20 Özellik资质: HSS DIN 352	套Set	2	
36	RE202307240003	124154	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M18 Özellik资质: HSS DIN 352	套Set	2	
37	RE202307240003	124153	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M16 Özellik资质: HSS DIN 352	套Set	2	
38	RE202307240003	124152	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M14 Özellik资质: HSS DIN 352	套Set	2	
39	RE202307240003	124151	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M12 Özellik资质: HSS DIN 352	套Set	2	
40	RE202307240003	124150	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M10 Özellik资质: HSS DIN 352	套Set	2	

## Inquiry List

From:EMBA ELEKTRİK ÜRETİM A.Ş.

E-mail: [ZhenchaoHou@embapower.com](mailto:ZhenchaoHou@embapower.com)

No.	Requirement Plan Number	Material code	ITEM	ITEM DESCRIPTION	UOM	Qty.	REMARKS
21	RE202307240003	124168	Pafta Lokması 圆板牙	Model型号:M18 Özellik资质: HSS DIN EN 22 568	↑ Adet	2	
22	RE202307240003	124167	Pafta Lokması 圆板牙	Model型号:M16 Özellik资质: HSS DIN EN 22 568	↑ Adet	2	
23	RE202307240003	124166	Pafta Lokması 圆板牙	Model型号:M14 Özellik资质: HSS DIN EN 22 568	↑ Adet	2	
24	RE202307240003	124165	Pafta Lokması 圆板牙	Model型号:M12 Özellik资质: HSS DIN EN 22 568	↑ Adet	2	
25	RE202307240003	124164	Pafta Lokması 圆板牙	Model型号:M10 Özellik资质: HSS DIN EN 22 568	↑ Adet	2	
26	RE202307240003	124163	Pafta Lokması 圆板牙	Model型号:M8 Özellik资质: HSS DIN EN 22 568	↑ Adet	2	
27	RE202307240003	122346	ASMA KİLİT= KALE AYAR PİMLİ ASMA KİLİT 50 MMKALE 滑动销挂锁 50 毫米	ASMA KİLİT= KALE AYAR PİMLİ ASMA KİLİT 50 MMKALE 滑动销挂锁 50 毫米	↑ Adet	10	
28	RE202307240003	122352	Asma Kilit / 挂锁	Yuma 70 Mm. Kayar Milli	↑ Adet	5	
29	RE202307240003	124133	Kilit Omega Tipi Vidalı 马蹄扣	Model型号:7/8" Özellik资质: CE sertifikalı 带CE证书的, Gövde Malzemesi 本体材质: 1050 - Pim 销子: 4140	套Set	2	
30	RE202307240003	124126	Kilit D Tipi Vidalı U型卸扣	Model型号:7/8" Özellik资质: CE sertifikalı 带CE证书的, Gövde Malzemesi 本体材质: 1050 - Pim 销子: 4140	套Set	2	
31	RE202307240003	124125	Kilit D Tipi Vidalı U型卸扣	Model型号:3/4" Özellik资质: CE sertifikalı 带CE证书的, Gövde Malzemesi 本体材质: 1050 - Pim 销子: 4140	套Set	2	
32	RE202307240003	124158	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M27 Özellik资质: HSS DIN 352	套Set	2	
33	RE202307240003	124157	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M24 Özellik资质: HSS DIN 352	套Set	2	
34	RE202307240003	124156	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M22 Özellik资质: HSS DIN 352	套Set	2	
35	RE202307240003	124155	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M20 Özellik资质: HSS DIN 352	套Set	2	
36	RE202307240003	124154	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M18 Özellik资质: HSS DIN 352	套Set	2	
37	RE202307240003	124153	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M16 Özellik资质: HSS DIN 352	套Set	2	
38	RE202307240003	124152	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M14 Özellik资质: HSS DIN 352	套Set	2	
39	RE202307240003	124151	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M12 Özellik资质: HSS DIN 352	套Set	2	
40	RE202307240003	124150	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M10 Özellik资质: HSS DIN 352	套Set	2	

## Inquiry List

From:EMBA ELEKTRİK ÜRETİM A.Ş.

E-mail: [ZhenchaoHou@embapower.com](mailto:ZhenchaoHou@embapower.com)

No.	Requirement Plan Number	Material code	ITEM	ITEM DESCRIPTION	UOM	Qty.	REMARKS
41	RE202307240003	124162	Kılavuz Kolu 用手板牙丝锥	Model型号:M9- M27	↑ Adet	1	
42	RE202307240003	124161	Kılavuz Kolu 用手板牙丝锥	Model型号:M5- M20	↑ Adet	1	
43	RE202307240003	124160	Kılavuz Kolu 用手板牙丝锥	Model型号:M4- M12	↑ Adet	1	
44	RE202307240003	124159	Kılavuz Kolu 用手板牙丝锥	Model型号:M3- M10	↑ Adet	1	
45	RE202307240003	124149	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M8 Özellik资质: HSS DIN 352	套Set	2	
46	RE202307240003	124148	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M6 Özellik资质: HSS DIN 352	↑ Adet	2	
47	RE202307240003	124145	Aybolt Erkek DIN 580 吊环螺丝 DIN 580	Model型号:M12 Özellik资质: DIN580 CE sertifikalı 带CE证书的, Malzeme 材质: Galvaniz Çelik 镀锌钢	↑ Adet	4	
48	RE202307240003	1240180	MANYETİK KOMPARATÖR STANDI磁性百分表支架 (磁性表座)	Mitutoyo, 7033B Komparatör Saatleri için Manyetik Stand 用于 Mitutoyo 7033B 千分表的磁性支架	↑ Adet	6	
49	RE202307240003	1008708	"VANA=GLOBE VALVE LVF OS#Y WB FB 2" F92/F6/INT/XM19 SPL4500 LBS 截止阀LVF OS#Y WB FB 2" F92/F6/INT/XM19 SPL4500 LBS (不包括气动头)	Marka 品牌: LVF TIP类型:GLOBE VALVE 截止阀Figure: AP-45W NV 218 BW Anma Çapı 额定直径: 2" Basınç Sınıfı压力等级: CLASS 4500 SPL Bağlantı Tipi 接法: Kaynaklı 焊接 Gövde Malzemesi本体材质: F92 STEM: XM19 SEAT: INT HF DISC:F6 HF "	↑ Adet	4	
50	RE202307240003	124147	Aybolt Erkek DIN 580 吊环螺丝 DIN 580	Model型号:M8 Özellik资质: DIN580 CE sertifikalı 带CE证书的, Malzeme 材质: Galvaniz Çelik 镀锌钢	↑ Adet	10	
51	RE202307240003	124146	Aybolt Erkek DIN 580 吊环螺丝 DIN 580	Model型号:M10 Özellik资质: DIN580 CE sertifikalı 带CE证书的, Malzeme 材质: Galvaniz Çelik 镀锌钢	↑ Adet	10	
52	RE202307240003	124243	Dişi AYBOLT GALVANİZ DIN 582 M16 镀锌吊环 (母丝) DIN 582 M16	Dişi AYBOLT GALVANİZ DIN 582 M16 镀锌吊环 (母丝) DIN 582 M16 "Malzeme 材料 : GALVANİZ 镀锌 Malzeme Tanımı: Dişi AYBOLT GALVANİZ DIN 582 M16 材料描述: 镀锌母丝吊环 DIN 582 M16"	↑ Adet	10	
53	RE202307240003	1007901	Çelik Gömleli Dübel 膨胀螺丝 (钢)	Çelik Gömleli Dübel M12x90 mm 钢夹套销钉 M12x90 mm	张 Adet	50	
54	RE202307240003	1007902	Borulu Çelik Dübel 膨胀螺丝 (钢)	Borulu Çelik Dübel M16x120 mm 管状钢销钉 M16x120 mm	张 Adet	50	
55	RE202307240003	1008952	ÜÇGEN KESİT KAMA 20MM/10MMx80MMx120MM 三角形切面楔	"Malzeme Tanımı: Üçgen Kesit Kama Uzunluk:120mm Genişlik:80mm Kalınlık (büyük):20mm Kalınlık (küçük):10mm Boyut Toleransları +-0,02mm; yüzey işleme toleransları Ra3,2 olacaktır. Malzeme kalitesi ISO Standart S235JR olarak talep edilmektedir. 材料说明: 三角形切面楔子 长度: 120mm 宽度: 80mm 厚度 (大) : 20mm 厚度 (小) : 10mm 尺寸公差为+0.02mm; 表面处理公差应为 Ra3.2. 材料质量要求为ISO标准的S235JR. "	↑ Adet	30	
56	RE202307240003	1240272	OKSİJEN ASATİLEN TÜP TAŞIMA ARABASI 3 TEKERLEKLİ 氧气乙炔气瓶运输三轮车	OKSİJEN ASATİLEN TÜP TAŞIMA ARABASI 3 TEKERLEKLİ 氧气乙炔气瓶运输三轮车	↑ Adet	1	

## Inquiry List

From:EMBA ELEKTRİK ÜRETİM A.Ş.

E-mail: [ZhenchaoHou@embapower.com](mailto:ZhenchaoHou@embapower.com)

No.	Requirement Plan Number	Material code	ITEM	ITEM DESCRIPTION	UOM	Qty.	REMARKS
41	RE202307240003	124162	Kılavuz Kolu 用手板牙丝锥	Model型号:M9- M27	↑ Adet	1	
42	RE202307240003	124161	Kılavuz Kolu 用手板牙丝锥	Model型号:M5- M20	↑ Adet	1	
43	RE202307240003	124160	Kılavuz Kolu 用手板牙丝锥	Model型号:M4- M12	↑ Adet	1	
44	RE202307240003	124159	Kılavuz Kolu 用手板牙丝锥	Model型号:M3- M10	↑ Adet	1	
45	RE202307240003	124149	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M8 Özellik资质: HSS DIN 352	套Set	2	
46	RE202307240003	124148	El Takım Kılavuz Seti 手动牙丝锥反牙机套件	Model型号:M6 Özellik资质: HSS DIN 352	↑ Adet	2	
47	RE202307240003	124145	Aybolt Erkek DIN 580 吊环螺丝 DIN 580	Model型号:M12 Özellik资质: DIN580 CE sertifikalı 带CE证书的, Malzeme 材质: Galvaniz Çelik 镀锌钢	↑ Adet	4	
48	RE202307240003	1240180	MANYETİK KOMPARATÖR STANDI磁性百分表支架 (磁性表座)	Mitutoyo, 7033B Komparatör Saatleri için Manyetik Stand 用于 Mitutoyo 7033B 千分表的磁性支架	↑ Adet	6	
49	RE202307240003	1008708	"VANA=GLOBE VALVE LVF OS#Y WB FB 2" F92/F6/INT/XM19 SPL4500 LBS 截止阀LVF OS#Y WB FB 2" F92/F6/INT/XM19 SPL4500 LBS (不包括气动头)	Marka 品牌: LVF TIP类型:GLOBE VALVE 截止阀Figure: AP-45W NV 218 BW Anma Çapı 额定直径: 2" Basınç Sınıfı压力等级: CLASS 4500 SPL Bağlantı Tipi 接法: Kaynaklı 焊接 Gövde Malzemesi本体材质: F92 STEM: XM19 SEAT: INT HF DISC:F6 HF "	↑ Adet	4	
50	RE202307240003	124147	Aybolt Erkek DIN 580 吊环螺丝 DIN 580	Model型号:M8 Özellik资质: DIN580 CE sertifikalı 带CE证书的, Malzeme 材质: Galvaniz Çelik 镀锌钢	↑ Adet	10	
51	RE202307240003	124146	Aybolt Erkek DIN 580 吊环螺丝 DIN 580	Model型号:M10 Özellik资质: DIN580 CE sertifikalı 带CE证书的, Malzeme 材质: Galvaniz Çelik 镀锌钢	↑ Adet	10	
52	RE202307240003	124243	Dişi AYBOLT GALVANİZ DIN 582 M16 镀锌吊环 (母丝) DIN 582 M16	Dişi AYBOLT GALVANİZ DIN 582 M16 镀锌吊环 (母丝) DIN 582 M16 "Malzeme 材料 : GALVANİZ 镀锌 Malzeme Tanımı: Dişi AYBOLT GALVANİZ DIN 582 M16 材料描述: 镀锌母丝吊环 DIN 582 M16"	↑ Adet	10	
53	RE202307240003	1007901	Çelik Gömlekleli Dübel 膨胀螺丝 (钢)	Çelik Gömlekleli Dübel M12x90 mm 钢夹套销钉 M12x90 mm	张 Adet	50	
54	RE202307240003	1007902	Borulu Çelik Dübel 膨胀螺丝 (钢)	Borulu Çelik Dübel M16x120 mm 管状钢销钉 M16x120 mm	张 Adet	50	
55	RE202307240003	1008952	ÜÇGEN KESİT KAMA 20MM/10MMx80MMx120MM 三角形切面楔	"Malzeme Tanımı: Üçgen Kesit Kama Uzunluk:120mm Genişlik:80mm Kalınlık (büyük):20mm Kalınlık (küçük):10mm Boyut Toleransları +-0,02mm; yüzey işleme toleransları Ra3,2 olacaktır. Malzeme kalitesi ISO Standart S235JR olarak talep edilmektedir. 材料说明: 三角形切面楔子 长度: 120mm 宽度: 80mm 厚度 (大) : 20mm 厚度 (小) : 10mm 尺寸公差为+0.02mm; 表面处理公差应为 Ra3.2. 材料质量要求为ISO标准的S235JR."	↑ Adet	30	
56	RE202307240003	1240272	OKSİJEN ASATİLEN TÜP TAŞIMA ARABASI 3 TEKERLEKLİ 氧气乙炔气瓶运输三轮车	OKSİJEN ASATİLEN TÜP TAŞIMA ARABASI 3 TEKERLEKLİ 氧气乙炔气瓶运输三轮车	↑ Adet	1	

## Inquiry List

From:EMBA ELEKTRİK ÜRETİM A.Ş.

E-mail: [ZhenchaoHou@embapower.com](mailto:ZhenchaoHou@embapower.com)

No.	Requirement Plan Number	Material code	ITEM	ITEM DESCRIPTION	UOM	Qty.	REMARKS
57	RE202307240003	1008953	RULMAN=FAG 7226B-XL-MP-UA 角接触球轴承 Eğik Bilyalı	FAG 7226B-XL-MP-UA 补给水泵 Make up Water Pump : 500L-80 供货厂家 Supplier: KSB	个 Adet	8	
58	RE202307240003	1008409	CAM GÖSTERGE=ACL 7597 固定液位润滑剂玻璃罐	Üretici :Adams Çelik Gövde - Cam Şişe Ürün No:ACL 7597 制作人: 亚当斯 钢身-玻璃瓶 货号: ACL 7597	个 Adet	4	
59	RE202307240003	1008954	BORU TİPİ YAĞ SEVİYE GÖSTERGESİ 管状油标液位计 L= 型 300 1/4 BSP FGM2300 DIN3018	BORU TİPİ YAĞ SEVİYE GÖSTERGESİ 管状油标液位计 L= 型 300 1/4 BSP FGM2300 DIN3018 Üretici 制作人 :Adams亚当斯	个 Adet	8	
60	RE202307240003	1007454	中黄油漆 Orta sarı boya	色卡编号: RAL1023 Renk Kodu: RAL1023	桶 barrel	5	
61	RE202307240003	31834	BOYA=Siyah RAL9017 油漆黑色 18 lt 公升	Renk Kodu 色卡编号: RAL9017 Özellik资质: 18 lt 公升	个 Adet	10	
62	RE202307240003	1007455	通用稀释剂 Üniversal tiner		桶 barrel	20	
63	RE202307240003	1009036	SALMASTRA=25X12.5MM EAGLE BURGMANN 6060 软性机械密封 25X12.5MM EAGLE BURGMANN 6060	"SALMASTRA=25X12.5MM EAGLE BURGMANN 6060 软性机械密封 25X12.5MM EAGLE BURGMANN 6060"	千克 kg	5	
64	RE202307240003	1009035	SALMASTRA=16X8MM EAGLE BURGMANN 6060 软性机械密封 16X8MM EAGLE BURGMANN 6060	SALMASTRA=16X8MM EAGLE BURGMANN 6060 软性机械密封 16X8MM EAGLE BURGMANN 6060	千克 kg	5	
65	RE202307240003	1009034	SALMASTRA=16X16MM EAGLE BURGMANN 6060 软性机械密封 16X16MM EAGLE BURGMANN 6060	SALMASTRA=16X16MM EAGLE BURGMANN 6060 软性机械密封 16X16MM EAGLE BURGMANN 6060	千克 kg	10	
66	RE202308030003	1007349	电池Pil	Duracel AAA 1.5V	粒Şişe	100	
67	RE202308030003	1007348	电池Pil	Duracel AA 1.5V	粒Şişe	100	
68	RE202308030003	1007347	电池Pil Duracell	9V 方形9V kare Duracell	粒Şişe	50	
69	RE202308050001	20740	Ampermetre电表 Entes EPM-4A-96 96x96 mm	Ampermetre电表 Entes EPM-4A-96 96x96 mm	件 Adet	2	
70	RE202307200002	31859	Azot Regülatörü 氮气调节器	Gaz Giriş Basıncı气体入口压力:0-230 bar Gaz Çıkış Basıncı气体出口压力:0-200 bar	个 Adet	2	

1- The price includes but is not limited to: material fee, outbound fee, loading/unloading fee, packaging fee, transportation fee, installation and commissioning fee, value-added tax, customs duties related to imported goods, insurance, stamp duty payable by both parties to the contract, invoicing date Loss of exchange rate changes on the payment date, etc., including all expenses before the materials (equipment) arrive at the place designated by the buyer and the installation and commissioning are completed to meet the requirements for use;

1-价格包括但不限于: 材料费、出库费、装/卸车费、包装费、运输费、安装调试费、增值税、进口货物相关的关税、保险、合同双方应缴纳的印花税、开票日和付款日的汇率变动损失等等, 包括材料(设备)到达买方指定地点并安装调试完成满足使用要求前的所有费用;

2-Incoterms: Delivery to Hunutlu Power Plant Site(DDP);

2-国际贸易术语: 交付到Hunutlu电厂现场 (DDP);

3-Shipping Address: Akyuva Mahallesi, EMBA Küme Evler No.1, Yumurtalık Adana;

3-送货地址: Akyuva Mahallesi, EMBA Küme Evler No.1, Yumurtalık Adana;

## Inquiry List

From:EMBA ELEKTRİK ÜRETİM A.Ş.

E-mail: [ZhenchaoHou@embapower.com](mailto:ZhenchaoHou@embapower.com)

No.	Requirement Plan Number	Material code	ITEM	ITEM DESCRIPTION	UOM	Qty.	REMARKS
57	RE202307240003	1008953	RULMAN=FAG 7226B-XL-MP-UA 角接触球轴承 Eğik Bilyalı	FAG 7226B-XL-MP-UA 补给水泵 Make up Water Pump : 500L-80 供货厂家 Supplier: KSB	个 Adet	8	
58	RE202307240003	1008409	CAM GÖSTERGE=ACL 7597 固定液位润滑剂玻璃罐	Üretici :Adams Çelik Gövde - Cam Şişe Ürün No:ACL 7597 制作人: 亚当斯 钢身-玻璃瓶 货号: ACL 7597	个 Adet	4	
59	RE202307240003	1008954	BORU TİPİ YAĞ SEVİYE GÖSTERGESİ 管状油标液位计 L= 型 300 1/4 BSP FGM2300 DIN3018	BORU TİPİ YAĞ SEVİYE GÖSTERGESİ 管状油标液位计 L= 型 300 1/4 BSP FGM2300 DIN3018 Üretici 制作人 :Adams亚当斯	个 Adet	8	
60	RE202307240003	1007454	中黄油漆 Orta sarı boya	色卡编号: RAL1023 Renk Kodu: RAL1023	桶 barrel	5	
61	RE202307240003	31834	BOYA=Siyah RAL9017 油漆黑色 18 lt 公升	Renk Kodu 色卡编号: RAL9017 Özellik资质: 18 lt 公升	个 Adet	10	
62	RE202307240003	1007455	通用稀释剂 Üniversal tiner		桶 barrel	20	
63	RE202307240003	1009036	SALMASTRA=25X12.5MM EAGLE BURGMANN 6060 软性机械密封 25X12.5MM EAGLE BURGMANN 6060	"SALMASTRA=25X12.5MM EAGLE BURGMANN 6060 软性机械密封 25X12.5MM EAGLE BURGMANN 6060"	千克 kg	5	
64	RE202307240003	1009035	SALMASTRA=16X8MM EAGLE BURGMANN 6060 软性机械密封 16X8MM EAGLE BURGMANN 6060	SALMASTRA=16X8MM EAGLE BURGMANN 6060 软性机械密封 16X8MM EAGLE BURGMANN 6060	千克 kg	5	
65	RE202307240003	1009034	SALMASTRA=16X16MM EAGLE BURGMANN 6060 软性机械密封 16X16MM EAGLE BURGMANN 6060	SALMASTRA=16X16MM EAGLE BURGMANN 6060 软性机械密封 16X16MM EAGLE BURGMANN 6060	千克 kg	10	
66	RE202308030003	1007349	电池Pil	Duracel AAA 1.5V	粒Şişe	100	
67	RE202308030003	1007348	电池Pil	Duracel AA 1.5V	粒Şişe	100	
68	RE202308030003	1007347	电池Pil Duracell	9V 方形9V kare Duracell	粒Şişe	50	
69	RE202308050001	20740	Ampermetre电表 Entes EPM-4A-96 96x96 mm	Ampermetre电表 Entes EPM-4A-96 96x96 mm	件 Adet	2	
70	RE202307200002	31859	Azot Regülatörü 氮气调节器	Gaz Giriş Basıncı气体入口压力:0-230 bar Gaz Çıkış Basıncı气体出口压力:0-200 bar	个 Adet	2	

1- The price includes but is not limited to: material fee, outbound fee, loading/unloading fee, packaging fee, transportation fee, installation and commissioning fee, value-added tax, customs duties related to imported goods, insurance, stamp duty payable by both parties to the contract, invoicing date Loss of exchange rate changes on the payment date, etc., including all expenses before the materials (equipment) arrive at the place designated by the buyer and the installation and commissioning are completed to meet the requirements for use;

1-价格包括但不限于: 材料费、出库费、装/卸车费、包装费、运输费、安装调试费、增值税、进口货物相关的关税、保险、合同双方应缴纳的印花税、开票日和付款日的汇率变动损失等等, 包括材料(设备)到达买方指定地点并安装调试完成满足使用要求前的所有费用;

2-Incotems: Delivery to Hunutlu Power Plant Site(DDP);

2-国际贸易术语: 交付到Hunutlu电厂现场 (DDP);

3-Shipping Address: Akyuva Mahallesi, EMBA Küme Evler No.1, Yumurtalık Adana;

3-送货地址: Akyuva Mahallesi, EMBA Küme Evler No.1, Yumurtalık Adana;



## Inquiry List

From:EMBA ELEKTRİK ÜRETİM A.Ş.

E-mail: [ZhenchaoHou@embapower.com](mailto:ZhenchaoHou@embapower.com)

No.	Requirement Plan Number	Material code	ITEM	ITEM DESCRIPTION	UOM	Qty.	REMARKS
<p>4- Please specify the delivery time in the quotation document;            4-请在报价文件中明确交货时间;</p> <p>5- Please specify the valid period of the quotation;            5-请明确报价有效期;</p> <p><b>6- Payment method: The subject matter arrives at the warehouse and passes the acceptance by the demand engineer. After obtaining the acceptance certificate, the EMBA notifies the seller to send the draft VAT invoice. After the EMBA procurement manager reviews and confirms that the value-added invoice is correct, the seller will send the official invoice to the EMBA. Purchasing managers, EMBA will pay 100% of the invoice amount within 30 working days;</b></p> <p><b>6-付款方式: 标的物到达仓库, 并通过需求工程师验收, 取得验收合格证书后, EMBA通知卖方发送增值税发票草稿, EMBA采购经办人员审核确认增值税发票无误后, 卖方将正式发票发送给EMBA采购经办人员, EMBA将在30个工作日内, 按照发票金额的100%支付;</b></p> <p><b>7-EMBA will pay Turkish lira according to the exchange rate on the invoice. The seller's quotation needs to include the exchange rate difference between the invoicing date and the payment date. The seller shall not file a claim against EMBA for the exchange rate difference between the invoicing date and the payment date, EMBA does not accept invoices for exchange rate differences;</b></p> <p><b>7-EMBA将根据发票上的汇率支付土耳其里拉, 卖方的报价需要包含开票日和付款日的汇率差异, 卖方不得因开票日和付款日的汇率差异向EMBA提出索赔, EMBA不接受汇率差异发票;</b></p>							

## Inquiry List

From:EMBA ELEKTRİK ÜRETİM A.Ş.

E-mail: [ZhenchaoHou@embapower.com](mailto:ZhenchaoHou@embapower.com)

No.	Requirement Plan Number	Material code	ITEM	ITEM DESCRIPTION	UOM	Qty.	REMARKS
<p>4- Please specify the delivery time in the quotation document;            4-请在报价文件中明确交货时间;</p> <p>5- Please specify the valid period of the quotation;            5-请明确报价有效期;</p> <p><b>6- Payment method: The subject matter arrives at the warehouse and passes the acceptance by the demand engineer. After obtaining the acceptance certificate, the EMBA notifies the seller to send the draft VAT invoice. After the EMBA procurement manager reviews and confirms that the value-added invoice is correct, the seller will send the official invoice to the EMBA. Purchasing managers, EMBA will pay 100% of the invoice amount within 30 working days;</b></p> <p><b>6-付款方式: 标的物到达仓库, 并通过需求工程师验收, 取得验收合格证书后, EMBA通知卖方发送增值税发票草稿, EMBA采购经办人员审核确认增值税发票无误后, 卖方将正式发票发送给EMBA采购经办人员, EMBA将在30个工作日内, 按照发票金额的100%支付;</b></p> <p><b>7-EMBA will pay Turkish lira according to the exchange rate on the invoice. The seller's quotation needs to include the exchange rate difference between the invoicing date and the payment date. The seller shall not file a claim against EMBA for the exchange rate difference between the invoicing date and the payment date, EMBA does not accept invoices for exchange rate differences;</b></p> <p><b>7-EMBA将根据发票上的汇率支付土耳其里拉, 卖方的报价需要包含开票日和付款日的汇率差异, 卖方不得因开票日和付款日的汇率差异向EMBA提出索赔, EMBA不接受汇率差异发票;</b></p>							