

### INQUIRY LETTER OF EMBA

Date:13th, December

No. EMBA -COAL-2024-Coal-003

Contact Person 1: Miss. Qian Li

Subject:

Email: Qianli@embapower.com

Contact Person 2: Mr. Jinghao WANG

wangjinghao@embapower.com

To the potential supplier whom:

- Coal producers or affiliated coal trading companies
- Sales Performance more than 0.6 million tons in the Turkish market in 2023

Spot Steam Coal for EMBA Hunutlu Power Plant

 $(2 \text{ shipments*}75000-85000 \pm 10\%)$ 

#### General information

- Hunutlu Power Plant of EMBA ELEKTRİK ÜRETİM A.Ş. has 2\*660 operating coal-fired units.
- The discharging port (EMBA Port) is a 100,000-ton dedicated discharging port (36°48 'N, 35°52' E) of Hunutlu Power Plant, Turkey, adjacent to the northern shore of Iskenderun Bay in the Mediterranean, the total length of the port is 342.68m, with berth length of 303.68m and width of 22m, the water depth is -16m, and the length of approach bridge is 1786m.
- Two CSU unloaders is on standby with a discharge rate considered at 20,000 tons per day.

#### The quotation shall include:

- Coal Specification and Unit Price (USD, NCV6000 kcal/kg NAR basis)
- 2. Arrival Window to EMBA PORT (the arrival window shall be 7 days)
- 3. Delivery and Payment Method: DAP delivery and 90% of contract price will be paid within 1 bank workday after received and accepted NOR, 10% will be paid after customs clearance

#### Other requirements of the quotation

- 1. Qualifications of supplier shall be attached.
- 2. Coal quality shall follow the Annex 1.
- 3. Delivery Schedule: 1st shipment AW is January 17th 23rd of 2024; 2nd shipment AW is January 24th - 30th of 2024.
- 4. Quotation price: BL monthly API2 linkage (API2-X%) shall follow the Annex 2. The quotation shall remain valid for 4 workdays.
- 5. The deadline for the submission of the quotation is 14:00 of December 15th 2023. (Turkey time) Please submit the quotation file encrypted, and please send the password to our email before 14:30 on the same day.
- 6. The calorific value shall be determined as follow: a) difference is less than or equal to 100kcal/kg, the arithmetical average of loading and discharge shall be final. b) difference is more than 100kcal/kg, Umpire Sample to be sent to and be tested by, in accordance to ISO Standards.
- 7. If the bidding company is a trader, must be provided the coal source (Mining Company).
- 8. If can't delivery within the specified arrival window, EMBA will reject their quotations in future coal procurement.
- 9. The supplier shall bear all the legal consequence in case they fail to provide the spot market coal as per the quotation.
- 10. The quotation shall be submitted by e-mail.

EMBA ELEKTRIK ÜRETIM A.S.

Şefik Sokak No:5 34330

Beşiktaş V.D. 333 072

Tic. Sic. No

Thanks for your cooperation, looking forward to your kindly quotation! Levent - Beşiktaş - ISTANBUL Tel: 0212 269 96 69 Faks: 0212 269 96 09



# Annex 1. Coal quality specifications

Item	Unit	Typical	Rejection
Total Moisture (TM) (As received basis)	% WT	10.0-12.0	
Volatile Matter(Air dried basis) Volatile Matter (Dry basis)	% WT % WT	30.0-35.0	<28.0 ≥ 40.0
Ash (Air dried basis)	% WT	<12.0	
Total Sulfur (As received basis)	% WT	0.30-0.50	> 0.8
Grindability (HGI)		>45	
Gross Calorific Value (Dry Basis)	kcal/kg		< 6400 (-500 tolerance)
Net Calorific Value (As Received Basis)	kcal/kg	6000	< 5700
Ash Fusion Temperature (IDT) (Reducing Atmosphere)	°C	>1250	
Size Distribution			
Above 50mm	%	<5	
Between 2-50mm	%	>90 EME	A ELEKTRIK ÜRETIM A.Ş.
Under 2mm	%	<5	Şefik Sokak No:5 34330

Levent - Beşiktaş - ISTANBUL Tel: 0212 269 96 69 Faks: 0212 269 96 09 Beşiktaş V.D. 333 072 2203 Tic. Sic. No: 800822







## Annex 2.

Option-2: BL monthly API2 linkage (API2-X%)

EMBA ELEKTRIK ÜRETİM A.Ş.

Sefik Sokak No:5 34330

Tel: 0212 269 66 9 Faks: 0212 269 96 09

Tic. Sic. No: 800882

API2	API2 < 100 USD/ton	100≤API2 < 120 USD/ton	API2≥120 USD/ton
Reference Price			